Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents | Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

| Research papers | |
|--|-----|
| Activation of an extracellular signal-regulated kinase (ERK) by the insect prothoracicotropic hormone | |
| R. Rybczynski, S.C. Bell, L.I. Gilbert (USA) | 1 |
| Human prostatic cell line PNT1A, a useful tool for studying androgen receptor transcriptional activity and | |
| its differential subnuclear localization in the presence of androgens and antiandrogens | |
| C. Avancès, V. Georget, B. Térouanne, F. Orio Jr., O. Cussenot, N. Mottet, P. Costa, C. Sultan (France) | 13 |
| Human FATE is a novel X-linked gene expressed in fetal and adult testis | |
| C. Olesen, N.J. Larsen, A.G. Byskov, T.L. Harboe, N. Tommerup (Denmark) | 25 |
| Transient disruption of spermatogenesis by deregulated expression of neurturin in testis | |
| X. Meng, I. Pata, E. Pedrono, A. Popsueva, D.G. de Rooij, M. Jänne, H. Rauvala, H. Sariola (Finland, | |
| Estonia, The Netherlands) | 33 |
| Male infertility, genetic analysis of the DAZ genes on the human Y chromosome and genetic analysis of | |
| DNA repair | |
| M.S. Fox, R.A. Reijo Pera (USA) | 41 |
| Over-expression of NCS-1 in AtT-20 cells affects ACTH secretion and storage | |
| S.B. Guild, A.T. Murray, M.L. Wilson, U.K. Wiegand, D.K. Apps, Y. Jin, M. Rindler, J. Roder, A. | |
| Jeromin (UK, USA, Canada) | 51 |
| Elevated K + induces myristoylated alanine-rich C-kinase substrate phosphorylation and phospholipase D | |
| activation in glomerulosa cells | |
| S. Betancourt-Calle, E.M. Jung, S. White, S. Ray, X. Zheng, R.A. Calle, W.B. Bollag (USA) | 65 |
| Double-stranded RNA-induced interferon regulatory factor-1 gene expression in FRTL-5 rat thyroid cells | |
| K. Mori, K. Yoshida, Ji. Tani, Y. Nakagawa, S. Hoshikawa, S. Ito (Japan) | 77 |
| Polycystic ovary syndrome: the new millenium | |
| R.S. Legro (USA) | 87 |
| The upregulation of angiotensin II receptor AT ₁ in human preeclamptic placenta | |
| P.S. Leung, S.J. Tsai, G. Wallukat, T.N. Leung, T.K. Lau (Hong Kong, Taiwan, ROC, Germany) | 95 |
| The allatostatin gene of the cricket <i>Gryllus bimaculatus</i> (Ensifera, Gryllidae) | |
| M. Meyering-Vos, X. Wu, J. Huang, M. Jindra, K.H. Hoffmann, F. Sehnal (Germany, Czech Republic) | 103 |
| Androgen regulation of the cell-cell adhesion molecule-1 (Ceacam1) gene | |
| D. Phan, X. Sui, DT. Chen, S.M. Najjar, G. Jenster, SH. Lin (USA, The Netherlands) | 115 |
| Identification of negative and positive estrogen response elements in human GnRH upstream promoter in | |
| the placental JEG-3 cells | |
| Z. Chen, H. Zheng, KW. Dong (USA) | 125 |
| Sp1 is required for prolactin activation of the interferon regulatory factor-1 gene | |
| M.B. McAlexander, Ly. Yu-Lee (USA) | 135 |

Continued on inside back cover



This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: www.elsevier.nl/locate/contentsdirect



08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Publication information: Molecular and Cellular Endocrinology (ISSN 0303-7207). For 2001, volumes 171-183 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.nl/locate/mce). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.nl). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; Tel. (+1)212-633-3730 [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; Fax (+1)212-633-3680; E-mail: usinfo-f@elsevier.com

Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; Tel. (+31)20-4853757; Fax (+31)20-4853432; E-mail: nlinfo-f@elsevier.nl

Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel. (+81)3-5561-5033; Fax (+81)3-5561-5047; E-mail: info@elsevier.co.jp

Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel. (+65)434-3727; Fax (+65)337-2230; E-mail: asiainfo@elsevier.com.sg

Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel. (+55)21-509-5340; Fax (+55)21-507-1991; E-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: USA, Canada and South America: Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. Japan: The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. Europe and ROW: Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk

Authors in Japan please note: Upon request, Elsevier Science K.K. will provide authors with a list of people who can check and improve the English of their paper (before submission). Please contact our Tokyo office: Elsevier Science K.K., 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106, tel. (+81)-3-5561-5032, fax (+81)-3-5561-5045.

If you need information about the journal, you can find all details (including full "Notes to Authors") on the World Wide Web: access under http://www.elsevier.nl/locate/mce or http://www.elsevier.com/locate/mce

(Contents continued from back cover)

- Effects of neonatal hypothyroidism on the expressions of growth cone proteins and axon guidance molecules related genes in the hippocampus C.C. Wong, M.S. Leung (Hong Kong) 143 Prolactin, interleukin-2 and FGF-2 stimulate expression, nuclear distribution and DNA-binding of rat homolog of pombe Cdc5 in Nb2 T lymphoma cells L.M. Johnson, C.K.L. Too (Canada) 151 The direct proliferative stimulus of dehydroepiandrosterone on MCF7 breast cancer cells is potentiated by overexpression of aromatase M. Maggiolini, A. Carpino, D. Bonofiglio, V. Pezzi, V. Rago, S. Marsico, D. Picard, S. Andò (Italy, Switzerland) 163 Mouse melanocortin-4 receptor gene 5'-flanking region imparts cell specific expression in vitro L.M. Dumont, C.-S. Wu, C.J. Aschkenasi, J.K. Elmquist, B.B. Lowell, K.G. Mountjoy (New Zealand, USA) 173 Rapid paper
- Angiotensin AT₄ receptors in the normal human prostate and benign prostatic hyperplasia D.T. Dinh, A.G. Frauman, D.J. Casley, C.I. Johnston, M.E. Fabiani (Australia) 187